
# 

TILES RANGE


GLOBAL





### R GLOBAL LAYOUT LLP

Near Radheshyam Paper Mill, Lilapar, Morbi - 363 641, Gujarat, INDIA









# GREETINGS

### FOUNDER

Conceptualized under a vision to see the Indian and Global ceramic industry excel through its various verticals, R Global was founded to fill the interlude and build an arch between ceramic & homedecor world manufacturers, distributors, and end-users through meticulously designed sourcing services.

With expert knowledge of the industry, R Global aims to provide precise and cost-efficient ceramic & homedecor sourcing services globally connecting and assisting distributors with companies and end-users to the right products after assessing their needs.

R Global will be a one-stop destination providing the need-based, versatile, and comprehensive tiling solution in-housing a wide range of ceramic & homedecor products from leading manufacturers from around the world. It will also be entertaining all ceramic & homedecor sourcing services you need for your dream project.

Feel at ease with R Global, where ceramics and homedecor turn to stories and craft a narrative of excellence in every corner.

Mr. Chetan R. Patel



### **VISION**

To become global sourcing and servicing leaders in the ceramic & home decor world.



### **MISSION**

To fill the gap and build bridges through knowledge & exceptional services in the ceramic and homedecor world.





THE WORLD OF CERAMICS & HOME DECOR





MODERN-AGE LIFESTYLE SOLUTIONS



SOURCING
PROFESSIONAL
SERVICING /
SOURCING OF
QUALITY PRODUCTS



SERVICE
A KEY FACTOR
FOR R GLOBAL



TAKING
INNOVATIONS
TO
THE NEXT STEP

# **FEATURES**

### FEATURES THAT ELEVATES YOUR SPACE



LONG LASTING



CRAZING RESISTANCE



IMPACT RESISTANCE



LOW WATER ABSORPTION



SCRATCH RESISTANT



RESISTANT TO THERMAL SHOCK



DIMENSIONAL STABILITY



RESISTANT TO HEAT & HIGH TEMPERATURES



EASY TO CLEAN AND MAINTAIN RANDING AGENC



FIRE RESISTANT



RESISTANT TO STAINING



HYGIENIC SURFACE

# **APPLICATION AREAS**

The dynamic application areas showcase the ultimate utility of these tiles while keeping their practical approach intact. Our tiles are made to keep you relaxed and at ease at various locations throughout your space.

### **AVAILABLE SIZE: 60x120cm**



BEDROOM SPACE



LIVING ROOM SPACE



BATHROOM SPACE



SHOWROOM SPACE



OFFICE SPACE




RESTAURANT SPACE


With features meant to elevate your ceramic experience, these surfaces ease your lifestyle by providing you with the luxury of practical choices. These dynamic surfaces can cater to vivid needs and reach out to become the most innovative ceramic solution.













# **DOLCE VITA**

Format / Size : 600x1200mm / 2'x4' / 24"x48"



































# **AQUILA GOLD**

Format / Size : **600x1200mm / 2'x4' / 24"x48"** 
















# **UNITE ONYX**

Format / Size : 600x1200mm / 2'x4' / 24"x48"



































# **CALACATTA WHITE**

Format / Size : 600x1200mm / 2'x4' / 24"x48"






































# **MESSA NATURAL**

Format / Size : 600x1200mm / 2'x4' / 24"x48"





























# MANDIA WHITE

Format / Size : 600x1200mm / 2'x4' / 24"x48"

































### **MYSTERY WHITE**

Format / Size : 600x1200mm / 2'x4' / 24"x48"



































# **CANBELL GOLD**

Format / Size : 600x1200mm / 2'x4' / 24"x48"




































# **ALEXA GOLD**

Format / Size : 600x1200mm / 2'x4' / 24"x48"



































# **FAENZA ENTO**

Format / Size : 600x1200mm / 2'x4' / 24"x48"







































# **FARROW ICE**

Format / Size : 600x1200mm / 2'x4' / 24"x48"






































### **ARMANI CREMA**

Format / Size : **600x1200mm / 2'x4' / 24"x48"** 

































### **ARMANI WHITE**

Format / Size : 600x1200mm / 2'x4' / 24"x48"




































### **NUVO TRAVENTINE BEIGE**

Format / Size : 600x1200mm / 2'x4' / 24"x48"



































### **NUVO TRAVENTINE NATURAL**

Format / Size : 600x1200mm / 2'x4' / 24"x48"





































### **NUVO TRAVENTINE WHITE**

Format / Size : 600x1200mm / 2'x4' / 24"x48"





































#### **NUVO TRAVENTINE GREY**

Format / Size : 600x1200mm / 2'x4' / 24"x48"



































# **INVICTOS**

Format / Size : 600x1200mm / 2'x4' / 24"x48"




































# **FUSION DUST**

Format / Size : 600x1200mm / 2'x4' / 24"x48"



































# FIESTA WHITE

Format / Size : 600x1200mm / 2'x4' / 24"x48"



































# **FIESTA GRIT**

Format / Size : 600x1200mm / 2'x4' / 24"x48"




































# STONA DAVULA

Format / Size : 600x1200mm / 2'x4' / 24"x48"






































# **CAPRON ICE**

Format / Size : 600x1200mm / 2'x4' / 24"x48"



































# **SICILIA BROWN**

Format / Size : 600x1200mm / 2'x4' / 24"x48"






































### **SPARKING LIME**

Format / Size : 600x1200mm / 2'x4' / 24"x48"





































# **ONYX ZAGRATO VERDE**

Format / Size : 600x1200mm / 2'x4' / 24"x48"




































# **ONYX MILE**

Format / Size : 600x1200mm / 2'x4' / 24"x48"



































# **ACUSTIC SKY**

Format / Size : 600x1200mm / 2'x4' / 24"x48"




































# **RAINBOW NATURAL**

Format / Size : 600x1200mm / 2'x4' / 24"x48"



























### **ACANTHUS NATURAL**

Format / Size : 600x1200mm / 2'x4' / 24"x48"

































Format / Size : 600x1200mm / 2'x4' / 24"x48"



















# TECHNICAL SPECIFICATION

Property	International Std IS013006 : 2012 Group Bla	R GLOBAL PGVT	Method of Testing	
REGULATORY PROPERTIES				-
Deviation in length & width Deviation in thickness	± 0.05% ± 5.00%	± 0.10 % ± 4.00 %	ISO -10545-2 ISO - 10545-2	-
Straightness of sides Rectangularity	± 0.50% ±0.50%	± 0.06 % ± 0.05 %	ISO - 10545-2 ISO - 10545-2	
Surface flatness Color difference Glossiness	±0.50% Unaltered As per mfg	± 0.10 % No change Min 90	ISO - 10545-2 ISO - 10545-16 GLOSSOMETER	
STRUCTURAL PROPERTIES				-
Water Absorption Apparent density	< 0.50 % > 2.0 g/cc	< 0.10 % > 2.10 g/cc	ISO -10545-3 DIN 51082	
MASSIVE MECHANICAL PROPERTIES				-
Modulus of rupture Breaking strength Impact Resistance	Min. 35 N/mm2 Min. 1300 N As per mfg	Min. 40 N/mm2 Min. 2000 N Min. 055	ISO - 10545-4 ISO - 10545-4 ISO - 10545-5	
SURFACE MECHANICAL PROPERTIES				
Surface Abrasion Resistance MOH's Hardness	As per mfg As per mfg	Min. Class-3 Min. 4	ISO - 10545-7 EN 101	
THERMO HYGROMETRIC PROPERTIES				
Frost resistance MOH's Hardness Moisture expansion Thermal expansion (COE) Crazing resistance	No damage No damage Nil Max. 9.0 X 10.6 As per mfg	No damage No damage Nil Max. 6.5 X 10 Min. 10 Cycle	ISO -10545-12 ISO - 10545-9 ISO - 10545-10 ISO - 10545-8 ISO -10545-11	ANDH BRANDING AGE
CHEMICAL PROPERTIES				-
Chemical resistance Satin resistance	No damage Resistan	No damage Resistant	ISO -10545-13 ISO - 10545-11	-
SAFETY PROPERTIES				-
Slip resistance Fire resistance Lead & Cadmium given off by glazed tiles	As per mfg As per mfg As per mfg	> 0.40 Fireproof Dous not yield Pb & Cd	ISO - 10545-13 N.A. ISO -10545-15	

**Note:** Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

#### PACKING DETAILS

Product	Size	Thickness (approx)	No. Of Tiles Per Box	Coverage Area
PGVT	600x1200mm	9.00mm	2 Pos.	1.44 Sq. mtr.

8			
NCY			

	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
	_	
S	ANI	<b>-</b> )H
	ANI	DH G AGEN
		DH G AGEN
		DH S AGE
		DH B AGEN
		DH S AGEI
		DH S AGEN
		DH S AGEN
		DH G AGEN
		DH B AGEI
		DH G AGEN
		DH G AGEN

